BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA5140**

Sample Received: **June 8, 2026** | COA Issued: **June 19, 2026**

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Lot Number:	MW (g/mol):
	BPC-157 Arginine Salt KPV 1(	Capsule	NA	1419.5, 174.2, 342.4

ANALYTICAL METHODS


Identity: Confirmed via MALDI–MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: BPC-157 Arginine Salt + KPV	**BPC-157, Arginine, KPV**	**MALDI-MS**	✓ Conforms
Content	**371.28, 131.90, 501.93 mcg**	HPLC Quantitation	✓ Conforms
Overall Purity	**99.9%**	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram (Retention Time: 1.115, 1.751, 8.269 min)







Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: https://bioviridians.com/coa-search.html

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.