Prodigy Labs

CERTIFICATEOFANALYSIS

5414 Oberlin Dr., Suite 150, San Diego, CA 92121

Report No.
PL-COA-20260810-88DE-R5

Report Date
August 10, 2026

Revision
Rev 5 (supersedes prior)

ProdigyValidate d · VERIFIED BY PRODIGY
Injectable screening — endotoxin, heavy metals, bioburden
Verified to Prodigy method (USP <1225>-validated)

CLIENT INFORMATION

CUSTOMER

CONTACT

EMAIL

SCAN TO VERIFY

SAMPLE INFORMATION

SAMPLE NAME / DESCRIPTION
Retatrutide20mg

CHAIN-OF-CUSTODY NO.
COC-202607-001

STORAGE CONDITIONS
Frozen

DATE OF ANALYSIS COMPLETION
July 27, 2026

LABORATORY SAMPLE ID
202607-PRO-005

MATRIX
Other

DATE RECEIVED
July 14, 2026

ANALYTICAL RESULTS

ANALYTE	METHOD	SPECIFICATION	RESULT	UNITS	STATUS
Peptide Purity (HPLC)	HPLC-UV (RP-HPLC, 214nm)	>= 95.0%	**99.69%**	%	PASS
Net Peptide Content	HPLC-UV (RP-HPLC, 214nm)	Report Only	**20.61 mg**	mg	PASS
Identity (HPLC-RTM)	HPLC Retention Time Match	Retatrutide	**Confirmed**	—	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	**Not Detected**	—	PASS
Ster ility	USP <71>	No growth detected	**No growth de-tected — Pass**	—	PASS
Endotoxin	USP <85>	< 0.05 EU/mL	**Not Detected**	EU/mL	PASS
Arsenic (As)	USP <233>	NMT 1.5 ppm	**0.026 ppm**	ppm	PASS
Cadmium (Cd)	USP <233>	NMT 0.5 ppm	**0.047 ppm**	ppm	PASS
Lead (Pb)	USP <233>	NMT 1.0 ppm	**0.0268 ppm**	ppm	PASS

This report shall not be reproduced except in full without the written approval of Prodigy Labs.

Mercury (Hg)	USP <233>	NMT 1.5 ppm	**0.0278**	ppm	PASS
Chromium (Cr)	USP <233>	NMT 10.0 ppm	**ppm**	ppm	PASS
			0.0738		
			ppm		

AUTHORIZED BY

James Thompson
Lab Director
Date: August 10, 2026

This report shall not be reproduced except in full without the written approval of Prodigy Labs.